

Smart Watering - Quick Reference

How Does it Work?

When does it water?

Description

Waters when estimated moisture level reaches 0% in zones and schedules.

Choosing Run Times

See run time calculator [here](#) [1] or consult with local contractor/distributor.

How is ET calculated?

The calculation is done through the run times and the last 10 years of ET history based on the hottest time of the year for that location.

Forecasting High Temperature

Forecast three days in advance.

Programming: Zones and Schedules Description

Enter Watering Length

Enter the number of minutes you want the zone to run (hottest time of the year)

Enter Peak Watering Frequency

Enter the time between watering in the peak of your irrigation (hottest time of the year) Example: 1 day interval means the system will water every day in the summer schedule.

Next Available Start Time Box

Checking this box will reset the smart water balance to 0. If this box is not checked when changing from time based to smart watering then the bar will automatically be at 100%.

Cycle/Soak

This helps reduce runoff by running small increments with same total run time. This is used instead of soil type and slope. *Example:* Station 1 requires 20 minutes of watering, but after 5 minutes, runoff occurs. However, after 10 minutes all the water is absorbed. The solution would be to program 20 minutes for the station run time, 5 minutes for the Cycle time, and 10 minutes for the Soak time.

Advanced

Fine tuning: This feature is designed to slow down or speed up the drying process. If the soil is too wet, then we allow it to dry for longer, too dry, smart watering will allow less drying time.

Example: If we have every 2 days set as the frequency, this is not the minimum frequency as it is merely a reference point

based on the driest time of the year. If we experience a drier time, we may need to water each day. Likewise, if we have a wetter time the frequency will increase, allowing for more time between watering.

Water Triggers

Description

Use forecast temperature to predict Smart Watering

This trigger allows frequency adjustment based on the current season.

Use forecast rainfall to delay Smart Watering

This feature assists in delaying irrigation when rain is predicted.